SPECIFICATIONS & FINISHING SCHEDULE FOR ZANDSPRUIT EXT 87 [STAMFORD CLOSE PHASE 2]

				<u> </u>
SUPERSTRUCTURE	Cement stock bricks with floated plaster to external & internal walls. 42.5 cement to be used. 85mm concrete for surface bed.			
	600mm x 250mm foundations. DPC & USB Green to be used.			
	Insulation to perimeter of ground floor living area up to surface bed. *Termite poison to new surface bed*			
SLAB	Block & Lintel system.	Block & Lintel system.		
ROOF	As per plan. Insulation as per SANS 10400-XA (Cla	ause4.4.5)		
GUTTERS	Seamless Chromodek to roof area.			
WATERPROOFING	Waterproofing applied by Specialist with 3 year guarantee, subject to clients annual maintenance.			
	Shower floors to be waterproofed.			
ALUMINIUM WIN & DOORS	As per plan.			
TIMBER DOORS & FRAMES	Door frames to be 76x38 meranti.			
	Frank de arte les 8 Banal maranti de ar			nu von ro Diellon profile Minite
	Front door to be 8 Panel meranti door.		Internal doors to be hole	o w co re D allas profile White.
GARAGE DOOR	Steel sectional door including motor.			
LOCKS, HINGES & HANDLES	Sapphire Black Nickel Plated Steel Handle + 3L SA	ABS Chrome Plated Lock (to front door & 2L SABS (chrome Plated Lock to internal doors.
GLAZING	As per plan.			
WINDOW SILLS	External & Internal: Plastered.			
CEILINGS	Slab to be plastered. 6,4 mm ceilings to the underside of trusses fixed to brandering. All ceilings to be painted white.			
CORNICES	90mm polystyrene cornices - Options as per sam	ple boards.	Swift	
TILES	-	e for listellos and bullnos		granite, sandstone.
	Diagonal & patterned not included. No allowance for listellos and bullnose. Installation of marble, granite, sandstone, travertine & mosaic not included [Only Shower Floor Mosaic has been allowed for].			
FLOOR TILES	500 x 500 Ceramic tiles - Options as per sample boards.			
	Areas: Ground Floor [Excluding garage] & First Fl			Emporium Smoke EP -661
Please Choose One {	Second am Do Liv	20.00 0103 211-000		

MOSAIC	Colour to match choosen floor tile.				
WALL TILES	250 x 500 Ceramic tiles - Options as per sample	250 x 500 Ceramic tiles - Options as per sample boards.			
	Shower walls to door height, face of bath & spla				
	Desert Fawn DS-208	Echo Grey EH-553		Emporium Smoke EP -660	
		Echo oney Err 555			
ALUMINIUM STRIPS	Included.				
OTHER FLOOR FINISHES					
	1				
GRANO	In garage.				
SKIRTINGS	83mm x 16mm MDF Shadow-Line profile. [White enamel]				
Please Choose One {	Shodow-Line		Bullnose		
SANITARYWARE:-	Taps, baths, toilets, vanities, shower arms, show	ver roses shower doors &			
	Taps, baths, tollets, valities, shower arms, show	wei toses, silowei doors e	x accessories.		
TOILETS					
	Questi a cultadizione Tan Eluch Tallet M		Other To lists Townsi		
	Guest Loo: Martinique Top Flush Toilet 20	15172	Other Tollets, Taman	n Top Flush Toilet 210605	
BATH	Tamarin Bath [1700x700] 205330} Where Appli	cable.			
	1 Parts		~		
OPTIONAL [Where				0	
Applicable]					
			~		
SHOWER DOORS	Alpine Pivot, Semi Frameless Door with Return	Panel Chrome [880x880x	1850mm] 205532 Where /	Applicable.	
	-				
	e deserved and the second s				
BASIN	Soloman Basin & Pedestal [550 x 420 x 830mm]	205211} To Guest Loo &	/or if applicable Guest En-	Suite & Second Bathroom	
		12002223 10 00000 200 04			
VANITY WITH BASIN					
	B Contraction of the second se				
	Denver Tiffany Vanity 500 M ahogany 811-1305	Denver Tiffany/Vanity	500 Cherry 811 12052	Denver Tiffany Vanity 500 Walnut 811-13053	
Please Choose One {	Convertiniary vality 500 Walloyariy 6 IF 505	- Conver minany valility:	out oneny of Fibridz	Deriver Finany vanity 500 Wallut of F 6055	

]
TAPS & SPOUTS	Ruby Range to Basin, Vanity,	(M		200640
	Ruby Basin Mixer Short Bo	dy 208636 R	uby Undertile Shower/B ath M ixer 2	08638 Ruby Sink Mixer	208640
SHOWER ARM, ROSE & BATH SPOUT	Star B			- 1-	
	Shower Arm Short Body CF	P 203147 S	nower Rose Water Saving 208885	Nikkie Spout 203	1076
BATHROOM ACCESSORIES	Fusion Range:- 5 Piece in Bat	throoms + Towel Ring, 1	oilet Paper Holder & Soap Holder ir	n Guest Loo.	
		250			
PLUMBING	All plumbing work up to first	fix & installations, inclu	iding drainage & storm water down	pipes. Hot water supply in ac	cordance with
	SANS 10400-XA (Clause 4.1).	Client to open account	& Pay Deposits.		
WASHING MACHINE	Cold water only with stopco	ck.			
GARDEN	1 x bronze garden taps over	the gulley.			
GEYSERS	1 x 200L Sun Tank Solar Geys	ser OnRoof, HP Indirect			
CUPBOARDS					
	Lavout as per plan including	Rustenburg Granite To	ns.		
	Layout as per plan including Rustenburg Granite Tops. ½ shelving & ½ double hanging.				
Please Choose One (A fric an Wenge in Fusion		Iry Oak in Fusion Harvard Cherry in	Fusion Shale Oak in Natural T	Fouch Windsor Cherry in Peen
PAINT	External Paint to be Texture	d as per Phase 2 Colour	Scheme		
	METEOR External m ain wall colour Pr	ro M ac MICAGUARD	HAVANA	n colour ProM ac M ICA GUA	RD
	Super acrylic to internal wall	s.			
	WINDS BREATH	WATERMARK	STONE CUTTER	WILD GOOSE	WET STONE
Please Choose One {	Pro M ac HOM EGUARD	ProMac HOM EGUAR	D ProMac HOMEGUARD	ProMac HOM EGUARD	Pro Mac HOM EGUARD
ELECTRICAL WORK	Crabtree Topaz Range				
GENERAL	All electrical work up to first	fix & installations as pe	r plan. Single Phase. Client to open	account & Pay Deposits.	
		E I	Ę 3		
	15112/601 151	22/601 1513	2/601 15221/601	15222/601	15225/601
K				and the second sec	

LIGHT FITTINGS & GLOBES			
	Garage Light FTL 103 White	External Wall M ounted Li	ght L361 12V Downlight DL018
OVEN, HOB & EXTRACTOR			
	Defy 600 Slimline Cookerhood [Stainless Steel] DCH 29	Defy Slimline Oven [Stainless Steel] DBO46	1 Slimline Gas Hob [Stainless Steel] DHG 133
BALUSTRADING	Brick at a height of 1,000 above finished floor level.		
GAS	Gas bottles & cage for Hob included.		
EXTERNAL			
LANDSCAPING	Instant lawn to garden & pavement. 600mm off boundary	walls to create flower beds.	
PAVING	50mm Grey Beveled paver. [Allowance of 50m ²]		
PEDESTRIAN GATE	900 x 1800.		
YARD WALLS	Single brick plastered walls 1,68m high [Measured from the	e ground on the lowest side with the neigh	bours on all four sides].
RETAINER WALLS	N/A		
SITE CLEANING	Site to be cleaned & tidy when handed over.		
EARTH WORKS	Included.		
GENERAL:	This specification supersedes the building plans. Should sp	ecified materials not be readily available, tl	ne Contractor reserves the
	right to substitute with the equivalent or similar materials	on consultation with the client. No allowar	nce for blasting or
	reinforcing of foundations, ground is assumed to be pickable & if jackhammers are required then client will be liable for the cost.		
	Changes to will be liable for the cost. Changes to the Plan	s will be charged to the Employer as per Arc	hitects rates, Engineers fees

& Municipal charges where applicable. COLOURS MAY VARY PLEASE REFER TO ACTUAL SAMPLE.

HOUSE AREA: Refers to ground & first floor area, covered patio & garage.

VARIATION ORDERS: Variation orders will be processed if received timeously. All future v.o.'s must be paid for once the client has signed acceptance

of the variation. No variations will be carried out unless payment has been received in full.

SUPPLIERS: The Employer to choose all Items from KoR's nominated suppliers. Should the Employer wish to select items from another supplier, the Employer is then responsible for the delivery of these items to site, as well as payment of these items directly to the Supplier. The Contractor will pass the relevant credit to the Employer on completion of the House.

DATE:	
CLIENT NAME:	
ERF NO:	
STAND NO:	
DRAWING NO:	

CLIENT: _____ CONTRACTOR: _____

WITNESS: ______ WITNESS: ______